

ETHERLINE® ACCESS NF

Industrial NAT router with firewall function

Industrial network switches for ethernet based solutions in Smart Factories.

Info

compact design Tailor-made solution









Supplementary automation components from Lapp



Mechanical and plant engineering

Benefits

compact design with high port density reduced installation effort in existing networks easy Configuration via web-interface space saving and industrial grade DIN rail mounting

Application range

industrial networks

Product features

RJ45 Ports: 10/100 BaseT(X)

NAT (Basic NAT, NAPT) and port forwarding

integrated Firewall feature

Network Segmentation - IP ranges in NAT mode possible - from firmware V1.08.400

Norm references / Approvals

UL 61010

Last Update (17.06.2023)
©2023 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16



ETHERLINE® ACCESS NF

Technical Data

power supply: DC 24 V (18-30 V DC)

Protection rating: IP20

Temperature range: -40 °C up to +75 °C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.



ETHERLINE® ACCESS NF

Article designation Туре MTBF in years Article number number of ports 4 x RJ45 21700141 ETHERLINE® ACCESS NF04T Managed >14.01