

PRODUCT INFORMATION

ETHERLINE® ACCESS U IP67

Unmanaged industrial Ethernet switch for decentralised applications.

Industrial network switches for ethernet based solutions in Smart Factories.

Info

IP 67 compatible for PROFINET[®] networks



CERR



Supplementary automation components from Lapp



Mechanical and plant engineering

Benefits

With 8 ports (10/100Base-T(X)) for D-coded M12 connectors. Particularly suitable for harsh environments thanks to protection class IP 67. Quickly ready for use with little installation effort. High performance due to generous 16K MAC address table and extensive 256Kbyte packet buffer.

Application range

For use in Ethernet-based automation technology networks. Also suitable for use in PROFINET networks ("Conformance Class A"). For decentralised use at field level, outside the control Cabinet. Can be used in an extended temperature range from -40 °C to +75 °C.

Technical Data
power supply:
Protection rating:
Temperature range:

DC 24 V (18-30 V DC) IP 67 -40°C up to +75°C

Last Update (05.06.2023) ©2023 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16



ETHERLINE® ACCESS U IP67

Note

PROFINET® is a registered trademark of the PNO (PROFIBUS user organisation) Photographs and graphics are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

\odot	
5	
5	

PRODUCT INFORMATION

ETHERLINE® ACCESS U IP67

Article number 21700148

Last Update (05.06.2023) ©2023 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16